

ENERGY AND AUTOMATION

SELECTOR SWITCH ACTUATOR LEVER Ø22MM PLATINUM SERIES CHROMED PLASTIC, 3 POSITION, 1 - 0 - 2



°C


°C

min max -40

+85

Product designation				actuators long lever - 3 position
Product type designation	on			LPCS23
General characteristics				
Colour				Black
Type of positions				Selector switch
Material				Polyamide
IEC degree of protection	on			IP66, IP67 and IP69K
Mechanical features				
Mechanical life			cycles	1000000
Mounting adapter				LPXAU120
Weight			g	40
UL technical data				
UL degree of protection	١			Type1, 2, 3R, 4, 4X, 12, 12K
Ambient conditions				
Temperature				
	Operating temperature			
		min	°C	-25
		max	°C	+70
	Storage temperature			

Dimensions



Certifications and compliance

Compliance

CSA C22.2 n° 14

IEC/EN/BS 60947-1

IEC/EN/BS 60947-5-1

UL508

Certificates

CCC





SELECTOR SWITCH ACTUATOR LEVER Ø22MM PLATINUM SERIES CHROMED PLASTIC, 3 POSITION, 1 - 0 - 2

cULus

ETIM classification

ETIM 8.0

EC000222 -Front element for selector switch